


SHELVING SYSTEM SERIES F TR

SHELVING FOR CONTAINER 600x400 mm



art.	dimensions (mm)	usable height (mm)	galvanized art.
upright frame (hole pitch 25 mm)	40x600x1010	900	F TR 0110 60 99
	40x600x2010	1900	F TR 0120 60 99
top shelf	410x600x34	—	F TR 1070 00 99
pair of base plinth	485x75	—	F TR 7580 00 99
pair of guide rails	—	—	F TR 9080 00 99
cross bracing	for shelving 2010h mm	—	F TR 7135 00 99
foot plate	100x62	—	F SL 0600 00 99

storage containers art.	external dimensions (mm)	minimum distance of guide rails
F PA 5652 A0 07	600x400x78	100 mm
F PA 6052 A0 07	600x400x120	150 mm
F PA 6452 A0 07	600x400x170	200 mm
F PB 6852 A0 07	600x400x220	250 mm
F PA 7652 A0 07	600x400x325	350 mm
F PA 8052 B0 07	600x400x430	450 mm



Foot plate
Art. F SL 0600 00 99
Dim. 100x62 mm



The footplate is slotted into the upright frame and fixed with 2 self-tapping bolts. Made from galvanized sheet steel.



The feet must be used for shelving units 2010 mm high.



Cross bracing
A minimum of 1 cross bracing must be fitted to each third double bay to stabilize the shelving system. Made from galvanized sheet steel. The stiffening diagonals, made of galvanised plate, are not necessary for shelving units 1010 mm high.