

# ECOLOGY

## PRODUCTS FOR ECOLOGY PRO SERIES



The collection trays prevent accidental spills of hazardous substances in accordance with (Italian) Legislative Decrees no. 152/2006 and no. 81/2008. Warning! Remember not to store in the same tray chemical substances that can react with one another when they come into contact and to check the compatibility of the hazardous substances stored with the material used to manufacture the tray and the grille. The capacity of the containers that can be stacked above each tray and the information provided, which are not exhaustive nor binding, are valid for the Italian territory. For other countries, always comply with the specific provisions in force in the country of use and contact the competent local authorities for further information.



### COLLECTION TANKS + PERFORM STEEL SHELVES AND TANKS


Suitable for flammable liquids under **GHS categories 1 - 3** and water-polluting liquids under **GHS categories 1 - 4**. **Corrosive substances are not allowed.**

### PE COLLECTION TANKS

Suitable for water-polluting liquids under **GHS categories 1 - 4**. **Flammable substances are not allowed.**



## TIPPABLE BUCKETS



300 L CAPACITY TILTING SCRAP BUCKET CONFIGURED FOR GRILLE AND TAP

ART.	W mm	D mm	H mm	L	KG	Wheels						RAL
						Ø mm	h mm	material	KG wheel set	☞	☛	
FAXEPR030060039	1307	800	953	300	600	125	155	Nylon	825	2	2	7016

⚠ Bucket supplied disassembled



500 L CAPACITY TILTING SCRAP BUCKET CONFIGURED FOR GRILLE AND TAP

ART.	W mm	D mm	H mm	L	KG	Wheels						RAL
						Ø mm	h mm	material	KG wheel set	☞	☛	
FAXEPR050060039	1412	800	970	500	1000	160	200	Nylon	1050	2	2	7016

⚠ Bucket supplied disassembled



KG  
LOAD CAPACITY


L  
CAPACITY

☛  
FIXED WHEEL

☞  
SWIVEL WHEEL WITH BRAKE

■  
RAL 7016

## TIPPABLE BUCKETS



750 L CAPACITY TILTING SCRAP BUCKET CONFIGURED FOR GRILLE AND TAP

ART.	W mm	D mm	H mm	L	KG	Wheels						RAL
						Ø mm	h mm	material	KG wheel set	↻	⌵	
FAXEPR075060039	1400	1152	970	750	1350	160	200	Nylon	1050	2	2	7016

⚠ Bucket supplied disassembled

### HYDRAULIC CYLINDER FOR BRAKED BUCKET TIPPING



HYDRAULIC CYLINDER FOR BUCKET

ART.	W mm	D mm	H mm
FAXEAC004000007	401/671	42	42

### FRONT TAP FOR DISCHARGING RESIDUAL LIQUIDS



KIT WITH TAP + GRILLE

ART.	W mm	D mm	H mm	suitable for
FAXEAC001000099	700	388	25	FAXEPR0300600
FAXEAC003000099	685	388	25	FAXEPR0500600
FAXEAC002000099	1028	388	25	FAXEPR0750600

## BIG BAG HOLDER



Frame supplied disassembled on pallet

### HEIGHT-ADJUSTABLE BIG BAG HOLDER

ART.	W mm	D mm	H mm	KG	RAL
FAXEBB1002H0039	1090	1084	1205/1395	1000	7016



Big Bag excluded

- Height-adjustable legs (1205 - 1395 mm) to accommodate big bags of two different sizes
- Smooth lower shelves for greater bag support
- Tested capacity: 1000 kg
- Stacking: 1+2 frames
- Possibility of inserting and removing big bags even in the case of stacked frames
- Cardboard box on non-fumigated pallet



## COLLECTION TRAYS



### 200 L CAPACITY CONICAL COLLECTION TANK

ART.	W mm	D mm	H mm	RAL	
ECO1314	1310	800	351	7016	

Made up of:

qty.	description
1	200 L capacity conical collection tank
2	Kit with 2 slats
1	Kit with 2 combs for conical tank



see page 364



### 200 L CAPACITY COLLECTION TANK

ART.	W mm	D mm	H mm	RAL	
ECO1315	1300	805	400	7016	

Made up of:

qty.	description
1	200 L capacity collection tank
2	Kit with 2 slats
1	Kit with 2 combs W=800 mm



see page 364



### 300 L CAPACITY COLLECTION TANK

ART.	W mm	D mm	H mm	RAL	
ECO1316	1300	1205	400	7016	

Made up of:

qty.	description
1	300 L capacity collection tank
3	Kit with 2 slats
1	Kit with 2 combs W=1200 mm



see page 364

## COLLECTION TRAYS

### 400 L CAPACITY COLLECTION TANK


ART.	W mm	D mm	H mm	RAL
ECO1318	1300	1222	400	7016



Made up of:

qty.	description
1	300 L capacity collection tank
3	Kit with 2 slats
1	Kit with 2 combs W=1200 mm
1	Kit with 2 caps with gaskets

Thanks to the use of the cap kit, the capacity of the 300-litre tank increases to 400 litres



see page 364



### 800 L CAPACITY COLLECTION TANK

ART.	W mm	D mm	H mm	RAL
ECO1319	1300	2422	400	7016

Made up of:

qty.	description
2	300 L capacity collection tank
6	Kit with 2 slats
2	Kit with 2 combs W=1200 mm
1	Tank coupling kit
1	Kit with 2 caps with gaskets




see page 364

Drums not included



Example of tank coupling:

1. Tank coupling kit (made up of a drip-catcher galvanised steel profile and a manifold with two gaskets)
2. Kit with 2 caps with gaskets



LOAD CAPACITY



RAL 7016



## COLLECTION TRAYS



### 300 L CAPACITY COLLECTION TANK WITH DRUM HOLDER

ART.	W mm	D mm	H mm	RAL	
ECO1322	1300	1205	787	7016	

Made up of:

qty.	description
1	300 L capacity collection tank
2	Kit with 2 slats
1	Drum holder for 2 drums



see page 364

Drums not included



### 200 L CAPACITY COLLECTION TANK WITH WHEELS

ART.	W mm	D mm	H mm	RAL	
ECO1320	1491	800	1018	7016	

Made up of:

qty.	description
1	200 L capacity collection tank
2	Kit with 2 slats
1	Kit with 2 combs W=800 mm
1	Handle for tank
1	Nylon wheels kit Ø 125 mm



see page 364

Drums not included



## COLLECTION TRAYS



### 1000 L CAPACITY COLLECTION TANK

ART.	W mm	D mm	H mm	RAL
<b>ECO1317</b>	1600	1300	640	7016

Made up of:

qty.	description
1	1000 L capacity collection tank
4	Kit with 2 slats
2	Kit with 2 combs W=800 mm



see page 364

Tank excluded



### 1000 L CAPACITY COLLECTION TANK WITH FRAME

ART.	W mm	D mm	H mm	RAL
<b>ECO1321</b>	1600	1306	1065	7016

Made up of:

qty.	description
1	1000 L capacity collection tank
4	Kit with 2 slats
1	Frame for collection tank



see page 364

Tank excluded





## COLLECTION TRAYS



see page 364

Cisterns not included

### 1100 L CAPACITY COLLECTION TANK WITH FRAMES

ART.	W mm	D mm	H mm	RAL
ECO1323	1306	3222	825	7016

Made up of:

qty.	description
2	300 L capacity collection tank
1	200 L capacity collection tank
8	Kit with 2 slats
2	Frame for collection tank
1	Kit with 2 caps with gaskets
2	Tank coupling kit

Thanks to the use of the cap kit, the capacity of the 300-litre tank increases to 400 litres, while the containment volume of the 200-litre tank increases to 300 litres.



Example of tank coupling:

1. 300 L capacity collection tank
2. 200 L capacity collection tank
3. Kit with 2 caps with gaskets
4. Tank coupling kit (made up of a drip-catcher galvanised steel profile and a manifold with two gaskets)

## COLLECTION TRAYS



see page 364



Cisterns not included

### 1200 L CAPACITY COLLECTION TANK

ART.	W mm	D mm	H mm	RAL
ECO1324	1300	3627	400	7016

Made up of:

qty.	description
3	300 L capacity collection tank
9	Kit with 2 slats
3	Kit with 2 combs W=1200 mm
2	Tank coupling kit
1	Kit with 2 caps with gaskets



Example of tank coupling:

1. Tank coupling kit (made up of a drip-catcher galvanised steel profile and a manifold with two gaskets)
2. Kit with 2 caps with gaskets



LOAD CAPACITY



RAL 7016

## COLLECTION TRAYS



### POLYETHYLENE SUPPORT FOR RISER

ART.	W mm	D mm	H mm	for barrels		colour	
				no.	L		
FAX002068000005	465	610	410	1	200	Yellow	
FAX002070000005	1200	780	255	2	200	Yellow	



### POLYETHYLENE COLLECTION TRAY WITH GRILLE FOR BARRELS

ART.	W mm	D mm	H mm	L	for barrels		colour	
					no.	L		
FAX002064000005	925	800	420	225	1	200	Yellow	
FAX002065000005	1350	800	420	305	2	200	Yellow	
FAX002066000005	1350	1350	490	500	4	200	Yellow	



see page 364



### POLYETHYLENE COLLECTION TRAY WITH GRILLE FOR TANK

ART.	W mm	D mm	H mm	L	for tank		colour	
					no.	L		
FAX002067000005	1350	1350	970	1050	1	1000	Yellow	



see page 364



## SAFETY CABINETS



CONFIGURE

ART.	W mm	D mm	H mm	KG	RAL
PERFOM12013	1048	600	1027	800	1004
PERFOM12014	1048	600	1027	800	7035+7016
PERFOM12015	1048	600	1027	800	7035
PERFOM12016	1048	600	1027	800	5012

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Slotted shelf
1	Sealed external liquid collection tray capacity 59 L



see page 364



CONFIGURE

ART.	W mm	D mm	H mm	KG	RAL
PERFOM12017	1023	555	1000	800	1004
PERFOM12018	1023	555	1000	800	7035+7016
PERFOM12019	1023	555	1000	800	7035
PERFOM12020	1023	555	1000	800	5012

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 364



CONFIGURE

ART.	W mm	D mm	H mm	KG	RAL
PERFOM12025	1048	600	1027	800	6011

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Slotted shelf
1	Sealed external liquid collection tray capacity 59 L



see page 364



LOAD CAPACITY



CAPACITY



RAL 7035 + RAL 7016



RAL 1004



RAL 5012



RAL 6011



RAL 7016



RAL 7035

## SAFETY CABINETS



CONFIGURE

ART.	W mm	D mm	H mm	KG	RAL	
<b>PERFOM14056</b>	1048	600	2027	1200	6011	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Kit with 3 slotted shelves
1	Sealed external liquid collection tray capacity 59 L



see page 364



CONFIGURE

ART.	W mm	D mm	H mm	KG	RAL	
<b>PERFOM14057</b>	1023	555	2000	1200	6011	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
2	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 364



CONFIGURE

ART.	W mm	D mm	H mm	KG	RAL	
<b>PERFOM14058</b>	1023	555	2000	1200	7035	

Made up of:

qty.	description
1	Polycarbonate slotted hinged door cabinet
2	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 364



# ECOLOGY

TIPPABLE BUCKETS

COLLECTION TRAYS

BIG BAG HOLDER

**SAFETY CABINETS**

## SAFETY CABINETS



CONFIGURE

ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14025	1048	600	2027	1200	1004	
PERFOM14026	1048	600	2027	1200	7035+7016	
PERFOM14027	1048	600	2027	1200	7035	
PERFOM14028	1048	600	2027	1200	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Kit with 3 slotted shelves
1	Sealed external liquid collection tray capacity 59 L



see page 364



CONFIGURE

ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14029	1023	555	2000	1200	1004	
PERFOM14030	1023	555	2000	1200	7035+7016	
PERFOM14031	1023	555	2000	1200	7035	
PERFOM14032	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
2	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 364



LOAD CAPACITY  
 RAL 7035+RAL 7016  
 RAL 1004  
 RAL 5012  
 RAL 6011  
 RAL 7035