

# WORK


## WORKBENCHES START SERIES




- 1. Perforated side panel
- 2. Rear panel
- 3. Adjustable legs
- 4. Additional half-shelf

- 5. Cabinet with door
- 6. Cabinet with 4 drawers
- 7. Multiplex worktop


The Work series workbenches are **flexible solutions** and easily customisable according to needs. They can be set up with a **top** in 30 mm **beech** multiplex wood or with a 3 mm steel worktop and are available in **3 widths**: 1000, 1500 or 2000 mm. The Work workbenches can have **fixed steel legs** and **lower shelf** as standard, or a **lower half shelf** as standard and **height-adjustable legs** set up for installing wheels. The steel structure can accommodate cabinets with doors or drawers, shelves or half shelves, perforated panels and ledges.




**SIMPLE-EXTENSION  
DRAWERS**




**SOLID DRAWER  
BOTTOM**



**DIVIDING  
MATERIAL**



**KEY-OPERATED  
CLOSURE**



**HEIGHT-ADJUSTABLE  
LEGS**

## ALTERNATIVE CONFIGURATIONS



Tools excluded

[CONFIGURE](#)



ART.	W mm	D mm	H mm	KG	RAL
<b>WORK2043</b>	2307	750	1977/2352	1000	7035+7016

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Cabinet W=500 mm with 3 drawers H=150 mm
1	Non-perforated half-shelf W=1760 mm
2	Perforated side panel
1	Bin with 30 l capacity
2	Angled 2-space silicone holder
1	A4 document-holder pocket
1	Kit with 3 dual-slotted uprights
1	Kit with 3 inclined supports with 2 tracks

qty.	description
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Double lamp
2	Angled 2-space spray-can holder
1	Roll holder kit with roll Ø=240 mm
7	Unipok tool hook - 30-piece pack
1	Support for 4-socket power strip
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
1	Large reversible shelf



LOAD CAPACITY RAL 7035 + RAL 7016



1000 kg



height-adjustable

— Multiplex worktop thickness 30 mm



Supplied unassembled



Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL
WORK1501	1500	750	732/1107	7035+7016
WORK1502	1500	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm

CONFIGURE



ART.	W mm	D mm	H mm	RAL
WORK1503	1500	750	732/1107	7035+7016
WORK1504	1500	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=1260 mm

CONFIGURE




ART.	W mm	D mm	H mm	RAL
WORK1507	1500	750	732/1107	7035+7016
WORK1508	1500	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Rear panel
1	Non-slotted half-shelf W=760 mm
1	Support for intermediate half-shelf

CONFIGURE

## CONFIGURATION EXAMPLES



Tools excluded



[CONFIGURE](#)

ART.	W mm	D mm	H mm	RAL
<b>WORK1528</b>	1500	750	1675/2050	7035+7016
<b>WORK1534</b>	1500	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



Tools excluded



[CONFIGURE](#)

ART.	W mm	D mm	H mm	RAL
<b>WORK1529</b>	1500	750	1675/2050	7035+7016
<b>WORK1535</b>	1500	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=1260 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



Tools excluded



[CONFIGURE](#)

ART.	W mm	D mm	H mm	RAL
<b>WORK1530</b>	1500	750	1675/2050	7035+7016
<b>WORK1536</b>	1500	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Rear panel
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=760 mm
1	Support for intermediate half-shelf
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



1000 kg

height-adjustable

Multiplex worktop thickness 30 mm

Supplied unassembled

Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL
<b>WORK1505</b>	1500	750	732/1107	7035+7016
<b>WORK1506</b>	1500	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=500 mm

CONFIGURE



ART.	W mm	D mm	H mm	RAL
<b>WORK1511</b>	1500	750	732/1107	7035+7016
<b>WORK1512</b>	1500	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Non-slotted half-shelf W=1260 mm

CONFIGURE




ART.	W mm	D mm	H mm	RAL
<b>WORK1509</b>	1500	750	732/1107	7035+7016
<b>WORK1510</b>	1500	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=629 mm with 4 drawers H=105 mm
1	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Non-slotted half-shelf W=1260 mm

CONFIGURE

## CONFIGURATION EXAMPLES



Tools excluded



[CONFIGURE](#)

ART.	W mm	D mm	H mm	RAL
<b>WORK1531</b>	1500	750	1675/2050	7035+7016
<b>WORK1537</b>	1500	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=500 mm
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



Tools excluded



[CONFIGURE](#)

ART.	W mm	D mm	H mm	RAL
<b>WORK1532</b>	1500	750	1675/2050	7035+7016
<b>WORK1538</b>	1500	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Non-slotted half-shelf W=1260 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



Tools excluded



[CONFIGURE](#)

ART.	W mm	D mm	H mm	RAL
<b>WORK1533</b>	1500	750	1675/2050	7035+7016
<b>WORK1539</b>	1500	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Cabinet W=629 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=1260 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount for Picking Box bins size 1/2
2	Kit of 4 Picking Box Air bins size 1



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012





1000 kg

height-adjustable

Multiplex worktop thickness 30 mm

Supplied unassembled

Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL
WORK2001	2000	750	732/1107	7035+7016
WORK2002	2000	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm

CONFIGURE



ART.	W mm	D mm	H mm	RAL
WORK2003	2000	750	732/1107	7035+7016
WORK2004	2000	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm

CONFIGURE




ART.	W mm	D mm	H mm	RAL
WORK2005	2000	750	732/1107	7035+7016
WORK2006	2000	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Non-perforated half-shelf W=1760 mm

CONFIGURE

## CONFIGURATION EXAMPLES



Tools excluded



[CONFIGURE](#)



Tools excluded



[CONFIGURE](#)



Tools excluded



[CONFIGURE](#)

ART.	W mm	D mm	H mm	RAL
<b>WORK2030</b>	2000	750	1675/2050	7035+7016
<b>WORK2036</b>	2000	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1

ART.	W mm	D mm	H mm	RAL
<b>WORK2031</b>	2000	750	1675/2050	7035+7016
<b>WORK2037</b>	2000	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1

ART.	W mm	D mm	H mm	RAL
<b>WORK2032</b>	2000	750	1675/2050	7035+7016
<b>WORK2038</b>	2000	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012





1000 kg

height-adjustable

Multiplex worktop thickness 30 mm

Supplied unassembled

Leg hole pitch 25 mm



ART.	W mm	D mm	H mm	RAL
<b>WORK2007</b>	2000	750	732/1107	7035+7016
<b>WORK2008</b>	2000	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Rear panel
1	Non-slotted half-shelf W=760 mm
1	Bottom panel for cabinet W=500 mm

[CONFIGURE](#)



ART.	W mm	D mm	H mm	RAL
<b>WORK2011</b>	2000	750	732/1107	7035+7016
<b>WORK2012</b>	2000	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm and 1 door
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Non-perforated half-shelf W=1760 mm

[CONFIGURE](#)




ART.	W mm	D mm	H mm	RAL
<b>WORK2009</b>	2000	750	732/1107	7035+7016
<b>WORK2010</b>	2000	750	732/1107	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
2	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Non-perforated half-shelf W=1760 mm

[CONFIGURE](#)

## CONFIGURATION EXAMPLES



Tools excluded



[CONFIGURE](#)



Tools excluded



[CONFIGURE](#)



Tools excluded



[CONFIGURE](#)

ART.	W mm	D mm	H mm	RAL
<b>WORK2033</b>	2000	750	1675/2050	7035+7016
<b>WORK2039</b>	2000	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Rear panel
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=500 mm
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1

ART.	W mm	D mm	H mm	RAL
<b>WORK2034</b>	2000	750	1675/2050	7035+7016
<b>WORK2040</b>	2000	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Cabinet W=500 mm with 1 drawer H=150 mm and 1 door
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1

ART.	W mm	D mm	H mm	RAL
<b>WORK2035</b>	2000	750	1675/2050	7035+7016
<b>WORK2041</b>	2000	750	1675/2050	5012

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount for Picking Box bins size 1/2
4	Kit of 4 Picking Box Air bins size 1




LOAD CAPACITY RAL 7035 + RAL 7016 RAL 5012

# WORK


## COMPONENTS

W ➔ 1000 - 1500 - 2000 mm

 1000 kg

 height-adjustable

 Multiplex worktop thickness 30 mm

 Supplied unassembled

 Leg hole pitch 25 mm

 steel worktop thickness 3 mm



3D

3D

3D

### WORK WORKBENCH WITH STEEL WORKTOP

ART.	W mm	D mm	H mm	worktop		RAL	
				material	 mm		
FBG01S1000R00PD	1031	704	737/1112	Steel	2,5	7035+7016	
FBG01S1000R0004	1031	704	737/1112	Steel	2,5	5012	
FBG01S1500R00PD	1507	704	737/1112	Steel	2,5	7035+7016	
FBG01S1500R0004	1507	704	737/1112	Steel	2,5	5012	
FBG01S2000R00PD	2007	704	737/1112	Steel	2,5	7035+7016	
FBG01S2000R0004	2007	704	737/1112	Steel	2,5	5012	




3D

3D

3D

### WORK WORKBENCH WITH WOODEN WORKTOP

ART.	W mm	D mm	H mm	worktop		RAL	
				material	 mm		
FBG02S1000R00PD	1024	750	732/1107	Multiplex	30	7035+7016	
FBG02S1000R0004	1024	750	732/1107	Multiplex	30	5012	
FBG02S1500R00PD	1500	750	732/1107	Multiplex	30	7035+7016	
FBG02S1500R0004	1500	750	732/1107	Multiplex	30	5012	
FBG02S2000R00PD	2000	750	732/1107	Multiplex	30	7035+7016	
FBG02S2000R0004	2000	750	732/1107	Multiplex	30	5012	






### UNASSEMBLED WORKBENCH PACKAGE

#### KIT WITH WHEELS

Suitable only for Work workbenches



ART.	Ø mm	 kg	H mm	material			
FKRU1252101	125	300	155	Non-marking synthetic rubber	2	2	
FKRS1252101	125	750	155	Elastic rubber	2	2	



SWIVEL WHEEL WITH BRAKE



FIXED WHEEL



#### PAIR OF REINFORCEMENT CORNER ELEMENTS

ART.	W mm	D mm	H mm	RAL	
FBGKITS0008	145	39	145	7035	
FBGKITS0004	145	39	145	5012	




Use one pair of corner elements for each leg if there is no drawer unit


# WORK

## COMPONENTS

W → 1000 - 1500 - 2000 mm

 1000 kg

 Multiplex worktop thickness 30 mm

 Supplied unassembled

 steel worktop thickness 3 mm



3D

3D

3D

### WORK WORKBENCH WITH STEEL WORKTOP

ART.	W mm	D mm	H mm	worktop		RAL	
				material	mm		
FBG01S1000F00PD	1031	704	887	Steel	2,5	7035+7016	
FBG01S1000F0004	1031	704	887	Steel	2,5	5012	
FBG01S1500F00PD	1507	704	887	Steel	2,5	7035+7016	
FBG01S1500F0004	1507	704	887	Steel	2,5	5012	
FBG01S2000F00PD	2007	704	887	Steel	2,5	7035+7016	
FBG01S2000F0004	2007	704	887	Steel	2,5	5012	

### WORK WORKBENCH WITH WOODEN WORKTOP

ART.	W mm	D mm	H mm	worktop		RAL	
				material	mm		
FBG02S1000F0008	1024	750	882	Multiplex	30	7035	
FBG02S1000F0004	1024	750	882	Multiplex	30	5012	
FBG02S1500F0008	1500	750	882	Multiplex	30	7035	
FBG02S1500F0004	1500	750	882	Multiplex	30	5012	
FBG02S2000F0008	2000	750	882	Multiplex	30	7035	
FBG02S2000F0004	2000	750	882	Multiplex	30	5012	



3D

3D

3D



### UNASSEMBLED WORKBENCH PACKAGE

#### COVER FOR STEEL WORKTOP

ART.	W mm	D mm	H mm	
FBG32100007	1024	702	27	
FBG32150007	1500	702	27	
FBG32200007	2000	702	27	



#### COVER FOR MULTIPLEX WORKTOP

ART.	W mm	D mm	H mm	
FBL22300007	1028	754	22	
FBL22600007	1504	754	22	
FBL22900007	2004	754	22	
FBL23200007	3004	754	22	



LOAD CAPACITY



THICKNESS



RAL 7035 + RAL 7016



RAL 5012




RAL 7035

2000

1000



1500



CABINETS WITH DRAWERS

W → 500 mm

CABINET WITH 1 DRAWER



ART.	W mm	D mm	H mm	drawers			door		RAL
				no.	KG	h mm	no.	Entry H mm	
FBG03S50C0001PD	500	630	210	1	80	86%	150	-	7035+7016
FBG03S50C000104	500	630	210	1	80	86%	150	-	5012

CABINET WITH 3 DRAWERS



ART.	W mm	D mm	H mm	drawers			door		RAL
				no.	KG	h mm	no.	Entry H mm	
FBG03S50C0002PD	500	630	570	3	80	86%	150	-	7035+7016
FBG03S50C000204	500	630	570	3	80	86%	150	-	5012

CABINET WITH 4 DRAWERS



ART.	W mm	D mm	H mm	drawers			door		RAL
				no.	KG	h mm	no.	Entry H mm	
FBG03S50C0003PD	500	630	570	4	80	86%	105	-	7035+7016
FBG03S50C000304	500	630	570	4	80	86%	105	-	5012

CABINET WITH 1 DRAWER AND 1 DOOR



ART.	W mm	D mm	H mm	drawers			door		RAL	
				no.	KG	h mm	no.	Entry H mm		
FBG03S50C0004PD	500	630	570	1	80	86%	150	1	310	7035+7016
FBG03S50C000404	500	630	570	1	80	86%	150	1	310	5012

⚠ Without bottom panel

CABINET WITH 1 DOOR AND 1 SHELF



ART.	W mm	D mm	H mm	drawers			door		RAL	
				no.	KG	h mm	no.	Entry H mm		
FBG03S50C0005PD	500	612	570	-	-	-%	-	1	491	7035+7016
FBG03S50C000504	500	612	570	-	-	-%	-	1	491	5012

⚠ Without bottom panel



## BOTTOM PANEL



### BOTTOM PANEL FOR CABINETS W= 500 mm

ART.	W mm	D mm	H mm	RAL
FBG16S50V0V0008	494	572	4	7035
FBG16S50V0V0004	494	572	4	5012


To be used on cabinets with door when the half-shelf is present



### BOTTOM PANEL FOR CABINETS W= 629 mm

ART.	W mm	D mm	H mm	RAL
FBG16S63V0V0008	623	572	4	7035
FBG16S63V0V0004	623	572	4	5012

To be used on cabinets with door when the half-shelf is present



## CABINETS WITH DRAWERS

W 629 mm



### CABINET WITH 3 DRAWERS

ART.	W mm	D mm	H mm	drawers				door		RAL
				no.	KG		h mm	no.	Entry H mm	
FBG03S63C0002PD	629	630	570	3	80	86%	150	-	-	7035+7016
FBG03S63C000204	629	630	570	3	80	86%	150	-	-	5012



### CABINET WITH 4 DRAWERS

ART.	W mm	D mm	H mm	drawers				door		RAL
				no.	KG		h mm	no.	Entry H mm	
FBG03S63C0003PD	629	630	570	4	80	86%	105	-	-	7035+7016
FBG03S63C000304	629	630	570	4	80	86%	105	-	-	5012



### CABINET WITH 1 DRAWER AND 1 DOOR

ART.	W mm	D mm	H mm	drawers				door		RAL
				no.	KG		h mm	no.	Entry H mm	
FBG03S63C0004PD	629	630	570	1	80	86%	150	1	310	7035+7016
FBG03S63C000404	629	630	570	1	80	86%	150	1	310	5012

Without bottom panel



### CABINET WITH 1 DOOR AND 1 SHELF

ART.	W mm	D mm	H mm	drawers				door		RAL
				no.	KG		h mm	no.	Entry H mm	
FBG03S63C0005PD	629	612	570	-	-	-%	-	1	491	7035+7016
FBG03S63C000504	629	612	570	-	-	-%	-	1	491	5012

Without bottom panel



LOAD CAPACITY



EXTRACTION



RAL 7035 + RAL 7016



RAL 5012



RAL 7035



### REAR PANEL

ART.	W mm	H mm	suitable for workbench W mm	RAL	
<b>FBG12S080000008</b>	825	665	1024-1031	7035	
<b>FBG12S080000004</b>	825	665	1024-1031	5012	
<b>FBG12S130000008</b>	1325	665	1500-1507	7035	
<b>FBG12S130000004</b>	1325	665	1500-1507	5012	
<b>FBG12S180000008</b>	1825	665	2000-2007	7035	
<b>FBG12S180000004</b>	1825	665	2000-2007	5012	



### PAIR OF SIDE FILLER STRIPS

For workbench W=1024-1031 mm with cabinet W=629 mm

ART.	W mm	D mm	H mm	RAL	
<b>FBG14S130V00008</b>	65	35	568	7035	
<b>FBG14S130V00004</b>	65	35	568	5012	



### PERFORATED SIDE PANEL

ART.	W mm	D mm	H mm	Hole dim. mm	RAL	
<b>FBG15S00V0V0008</b>	610	75	669	10x10	7035	
<b>FBG15S00V0V0004</b>	610	75	669	10x10	5012	



### ADDITIONAL NON-PERFORATED MIDDLE SHELF

ART.	W mm	D mm	H mm	KG	RAL	
<b>FBG08S070600108</b>	760	600	35	250	7035	
<b>FBG08S070600104</b>	760	600	35	250	5012	
<b>FBG08S120600108</b>	1260	600	35	250	7035	
<b>FBG08S120600104</b>	1260	600	35	250	5012	
<b>FBG08S170600108</b>	1760	600	35	200	7035	
<b>FBG08S170600104</b>	1760	600	35	200	5012	

# WORK

## COMPONENTS



### ADDITIONAL NON-PERFORATED HALF-SHELF

ART.	W mm	D mm	H mm	KG	RAL	
<b>FBG09S070300108</b>	760	300	35	100	7035	
<b>FBG09S070300104</b>	760	300	35	100	5012	
<b>FBG09S120300108</b>	1260	300	35	100	7035	
<b>FBG09S120300104</b>	1260	300	35	100	5012	
<b>FBG09S170300108</b>	1760	300	35	100	7035	
<b>FBG09S170300104</b>	1760	300	35	100	5012	



### SUPPORT ONLY FOR ADDITIONAL HALF-SHELF

ART.	W mm	D mm	H mm	RAL	
<b>FBG13S605V00008</b>	605	77	35	7035	
<b>FBG13S605V00004</b>	605	77	35	5012	

ART.	W mm	D mm	H mm	KG	RAL	
<b>WORK2014</b>	2007	704	737/1112	1000	7035+7016	



Made up of:

qty.	description
1	Unassembled adjustable workbench with 2,5 mm steel worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Rear panel
1	Non-slotted half-shelf W=760 mm
1	Bottom panel for cabinet W=500 mm
2	Perforated side panel



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012





RAL 7035



## DIVIDING MATERIAL

W → 500 mm



ART.	Suitable for drawer H mm	No. of transversal dividers	
FBG18S50DV00199	105/150	3	

ART.	Suitable for drawer H mm	No. of transversal dividers	No. of longitudinal dividers	
FBG18S50DV00299	105/150	1	1	



ART.	Suitable for drawer H mm	components	
FBG18S50CD00103	105/150	4 x 100x50 mm Divider box	

ART.	Suitable for drawer H mm	components	
FBG18S50CD00203	105/150	3 x 100x50 mm Divider box 2 x 150x75 mm Divider box 1 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
MATSEP001	105/150	1 x FBG18S50CD00103 1 x FBG18S50CD00203 1 x FBG18S50DV00299	

ART.	Suitable for drawer H mm	components	
MATSEP002	105/150	1 x FBG18S50CD00103 2 x FBG18S50CD00203 1 x FBG18S50DV00299	



### RUG FOR CHEST OF DRAWERS L=500 MM

ART.	material	
FBG18S50TP00107	Polyester	



## DIVIDING MATERIAL

W → 629 mm



ART.	Suitable for drawer H mm	No. of transversal dividers	
FBG18S63DV00199	105/150	3	



ART.	Suitable for drawer H mm	No. of transversal dividers	No. of longitudinal dividers	
FBG18S63DV00299	105/150	1	1	



ART.	Suitable for drawer H mm	components	
FBG18S63CD00103	105/150	5 x 100x50 mm Divider box	



ART.	Suitable for drawer H mm	components	
FBG18S63CD00203	105/150	2 x 75x75 mm Divider box 2 x 150x75 mm Divider box 2 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
MATSEP003	105/150	1 x FBG18S63CD00103 1 x FBG18S63CD00203 1 x FBG18S63DV00299	



ART.	Suitable for drawer H mm	components	
MATSEP004	105/150	1 x FBG18S63CD00103 2 x FBG18S63CD00203 1 x FBG18S63DV00299	



### RUG FOR CHEST OF DRAWERS L=629 MM

ART.	material	
FBG18S63TP00107	Polyester	



## ALTERNATIVE CONFIGURATIONS



Tools excluded



ART.	W mm	D mm	H mm	KG	RAL
<b>WORK2042</b>	2260	704	2098	1000	7035+7016

Made up of:

qty.	description	qty.	description
1	Unassembled workbench with 2,5 mm steel worktop	7	Unipok tool hook - 30-piece pack
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door	1	Roll holder kit with roll Ø=240 mm
1	Cabinet W=500 mm with 1 drawer H=150 mm and 1 door	2	Angled 2-space spray-can holder
2	Perforated side panel	1	Large reversible shelf
1	Bin with 30 l capacity	1	Support for 4-socket power strip
1	Kit with 3 dual-slotted uprights	1	Schuko 4-socket power strip
1	Kit with 3 inclined supports with 2 tracks	1	Wieland Schuko/FR connection cable
2	Kit with 3 perforated panels/shelves with 2 box-stop edges	2	Bar mount for Picking Box bins size 1/2
1	Double lamp	2	Kit of 4 Picking Box Air bins size 1

## ALTERNATIVE CONFIGURATIONS



Tools excluded



ART.	W mm	D mm	H mm	KG	RAL
<b>WORK1540</b>	2052	750	1977/2352	1000	7035+7016

Made up of:

qty.	description	qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop	1	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Cabinet W=629 mm with 1 door and 1 adjustable shelf	1	Double lamp
1	Bottom panel for cabinet W=629 mm	1	Single lamp
1	Cabinet W=629 mm with 3 drawers H=150 mm	1	Roll holder kit with Ø 130 mm roll
2	Perforated side panel	1	Support for 4-socket power strip
1	Bin with 30 l capacity	1	Schuko 4-socket power strip
1	Large reversible shelf	1	Wieland Schuko/FR connection cable
2	Angled 2-space spray-can holder	4	Unipok tool hook - 30-piece pack
1	Kit with 2 dual-slotted uprights for workbenches	2	Bar mount for Picking Box bins size 1/2
1	Kit with 2 inclined supports with track	2	Kit of 4 Picking Box Air bins size 1



LOADCAPACITY RAL 7035 + RAL 7016