
PERFORATED PANELS

PRO SERIES



The Work Look **perforated panels** with **10x10** mm hole can be placed on workbenches, trolleys, wooden walls or walls to create tool panels of different sizes. If installed on workbench uprights, the user can choose whether to use the panel as a **tool wall** or as a **horizontal or inclined shelf** with box-stop edge. Work Look can accommodate a wide range of components: from overhead structures and lamps to bottom-hung wall units, accessories, and hooks.











| ART. | Wmm | D mm | Hmm | KG | RAL | |
|--------------|------|------|-----------|------|-----------|--|
| MASTERBR1507 | 1706 | 750 | 1985/2360 | 1000 | 7035+7016 | |

$\mathsf{Made}\,\mathsf{up}\,\mathsf{of} \mathsf{:}$

| qty. | description |
|------|---|
| 1 | Unassembled workbench with 40 mm multiplex worktop |
| 1 | Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200 |
| 2 | Top/bottom shelf W=560 mm |
| 1 | $Left full door H{=}600 mm with Dark Grey handle$ |
| 1 | Internal shelf W=558 mm |
| 1 | Support for intermediate half-shelf |
| 2 | Perforated side panel |
| 1 | LED strip |
| 1 | Pair of brackets for fastening wall unit to dual-slotted uprights |
| 1 | Wall unit with vasistas flip up opening without lock |
| 1 | Double lamp |
| 1 | Kitwith2perforatedpanels/shelveswith1box-stopedge |
| 1 | Kit with 2 inclined supports with track |

| qty. | description |
|------|--|
| 1 | Kit with 2 dual-slotted uprights for workbenches |
| 1 | Bin with 30 l capacity |
| 1 | Large reversible shelf |
| 1 | Bar mount for Picking Box bins size 1/2 |
| 1 | Kit of 4 Picking Box Air bins size 1 |
| 3 | Unipok tool hook - 30-piece pack |
| 2 | Angled 2-space spray-can holder |
| 1 | Roll holder kit with \emptyset 130 mm roll |
| 1 | A4 document-holder pocket |
| 1 | Wieland Schuko/FR connection cable |
| 1 | Schuko 4-socket power strip |
| 1 | Schuko 2-socket power strip |
| 1 | Support for 4-socket power strip |
| 1 | Support for 2-socket power strip |







CHANGE THE APPEARANCE OF YOUR WORKBENCH AND MAKE IT SUITABLE FOR VARIOUS USES WITH WORK LOOK!

Depending on how you install it, you can use it as:

a perforated panel, a horizontal shelf, an inclined shelf with box-stop edge.















| ART. | Wmm | D mm | Hmm | uprights | RAL | |
|--------------|------|------|-----|----------|-----------|--|
| WORKLOOK1001 | 1015 | 80 | 639 | 50 | 7035+7016 | |
| WORKLOOK1002 | 1015 | 80 | 639 | 50 | 5012 | |

$Made\,up\,of:$

| qty. | description |
|------|---|
| 1 | Kit with 2 dual-slotted uprights for workbenches |
| 1 | Kit with 2 perforated panels/shelves with 1 box-stop edge |

| ART. | Wmm | D mm | Hmm | uprights | RAL | |
|--------------|------|------|-----|----------|-----------|--|
| WORKLOOK1003 | 1015 | 80 | 943 | 50 | 7035+7016 | |
| WORKLOOK1004 | 1015 | 80 | 943 | 50 | 5012 | |

Made up of:

| qty. | description |
|------|--|
| 1 | Kit with 2 dual-slotted uprights for workbenches |
| 1 | Kit with 3 perforated panels/shelves with 2 box-stop edges |

| ART. | Wmm | D mm | Hmm | uprights | RAL |
|--------------|------|------|-----|----------|-----------|
| WORKLOOK1501 | 1500 | 80 | 639 | 50 | 7035+7016 |
| WORKLOOK1502 | 1500 | 80 | 639 | 50 | 5012 |


Made up of:

| qty. | description |
|------|---|
| 1 | Kit with 2 dual-slotted uprights for workbenches |
| 1 | Kit with 2 perforated panels/shelves with 1 hox-stop edge |

| ART. | Wmm | D mm | Hmm | uprights | RAL |
|--------------|------|------|-----|----------|-----------|
| WORKLOOK1503 | 1500 | 80 | 943 | 50 | 7035+7016 |
| WORKLOOK1504 | 1500 | 80 | 943 | 50 | 5012 |


| qty. | description |
|------|--|
| 1 | Kit with 2 dual-slotted uprights for workbenches |
| 1 | Kit with 3 perforated panels/shelves with 2 box-stop edges |





Made up of:

| qty. | description |
|------|---|
| 1 | Kit with 3 dual-slotted uprights |
| 2 | Kit with 2 perforated panels/shelves with 1 box-stop edge |




| ART. | Wmm | Dmm | Hmm | uprights | RAL | |
|--------------|------|-----|-----|----------|-----------|--|
| WORKLOOK2003 | 2000 | 80 | 943 | 50 | 7035+7016 | |
| WORKLOOK2004 | 2000 | 80 | 943 | 50 | 5012 | |

Made up of:


| qty. | description |
|------|--|
| 1 | Kit with 3 dual-slotted uprights |
| 2 | Kit with 3 perforated panels/shelves with 2 box-stop edges |





Made up of:

| qty. | description |
|------|---|
| 1 | Kit with 3 dual-slotted uprights |
| 2 | Kitwith2perforatedpanels/shelveswith1box-stopedge |



| ART. | Wmm | Dmm | Hmm | uprights | RAL |
|--------------|------|-----|-----|----------|-----------|
| WORKLOOK3003 | 2970 | 80 | 943 | 50 | 7035+7016 |
| WORKLOOK3004 | 2970 | 80 | 943 | 50 | 5012 |

Made up of:

| qty. | description |
|------|--|
| 1 | Kit with 3 dual-slotted uprights |
| 2 | Kitwith3perforatedpanels/shelveswith2box-stopedges |



LOAD CAPACITY RAL 7035 + RAL 7016

COMPONENTS WALL UNITS







WALL UNIT WITH VASISTAS FLIP UP OPENING WITHOUT LOCK

| ART. | Wmm | D mm | Hmm | KG | RAL | |
|---------------|------|------|-----|----|-----------|--|
| FBL8005X000PD | 943 | 350 | 456 | 50 | 7035+7016 | |
| FBL8005X00004 | 943 | 350 | 456 | 50 | 5012 | |
| FBL8010X000PD | 1428 | 350 | 456 | 50 | 7035+7016 | |
| FBL8010X00004 | 1428 | 350 | 456 | 50 | 5012 | |



LOCKSET FOR WALL UNIT

| ART. | |
|---------------|--|
| FBL8020C00000 | |



PAIR OF BRACKETS FOR FASTENING WALL UNIT TO DUAL-SLOTTED UPRIGHTS

| ART. | Wmm | Dmm | Hmm | RAL | |
|---------------|-----|-----|-----|------|--|
| FBL8025000008 | 33 | 21 | 455 | 7035 | |
| FBL8025000004 | 33 | 21 | 455 | 5012 | |



1 To be used for fastening the wall unit to the dual-slotted uprights




LED STRIP Without on/off button

| ART. | Wmm | Colour temperature K | Watt | Hz | Lumen | |
|-------------|------|----------------------|------|-------|-------|--|
| FBL99350213 | 573 | 4000 | 10 | 50/60 | 1000 | |
| FBL99400213 | 873 | 4000 | 15 | 50/60 | 1500 | |
| FBL99450213 | 1173 | 4000 | 20 | 50/60 | 2000 | |

WALL UNITS WITH UPRIGHTS AND WORKBENCH PANELS







| qty. | description |
|------|---|
| 1 | Kit with 2 dual-slotted uprights for workbenches |
| 1 | Kitwith2per for a tedpanels/shelveswith1box-stopedge |
| 1 | Wall unit with vasistas flip up opening without lock |
| 1 | Pair of brackets for fastening wall unit to dual-slotted uprights |
| 2 | Unipok tool hook - 30-piece pack |

| ART. | Wmm | Dmm | Hmm | uprights | RAL | |
|--------------|------|-----|------|----------|-----------|--|
| WORKLOOK1505 | 1500 | 373 | 1063 | 50 | 7035+7016 | |
| WORKLOOK1506 | 1500 | 373 | 1063 | 50 | 5012 | |

Made up of:

| qty. | description |
|------|---|
| 1 | Kit with 2 dual-slotted uprights for workbenches |
| 1 | Kit with 2 perforated panels/shelves with 1 box-stop edge |
| 1 | Wall unit with vasistas flip up opening without lock |
| 1 | Pair of brackets for fastening wall unit to dual-slotted uprights |
| 2 | Unipok tool hook - 30-piece pack |
| 2 | Bar mount for Picking Box bins size 1/2 |
| 2 | Kit of 4 Picking Box Air bins size 1 |

| ART. | Wmm | Dmm | Hmm | uprights | RAL | |
|--------------|------|-----|------|----------|-----------|--|
| WORKLOOK2005 | 2000 | 373 | 1063 | 50 | 7035+7016 | |
| WORKLOOK2006 | 2000 | 373 | 1063 | 50 | 5012 | |

Made up of:

| 1 Kit with 3 dual-slotted uprights 2 Kit with 2 perforated panels/shelves with 1 box-stop edge 2 Wall unit with vasistas flip up opening without lock 2 Pair of brackets for fastening wall unit to dual-slotted uprights 2 Unipok tool hook - 30-piece pack 4 Bar mount for Picking Box bins size 1/2 4 Kit of 4 Picking Box Air bins size 1 | qty. | description |
|---|------|---|
| 2 Wall unit with vasistas flip up opening without lock 2 Pair of brackets for fastening wall unit to dual-slotted uprights 2 Unipok tool hook - 30-piece pack 4 Bar mount for Picking Box bins size 1/2 | 1 | Kit with 3 dual-slotted uprights |
| 2 Pair of brackets for fastening wall unit to dual-slotted uprights 2 Unipok tool hook - 30-piece pack 4 Bar mount for Picking Box bins size 1/2 | 2 | Kitwith2perforatedpanels/shelveswith1box-stopedge |
| 2 Unipok tool hook - 30-piece pack 4 Bar mount for Picking Box bins size 1/2 | 2 | Wall unit with vasistas flip up opening without lock |
| 4 Bar mount for Picking Box bins size 1/2 | 2 | Pair of brackets for fastening wall unit to dual-slotted uprights |
| | 2 | Unipok tool hook - 30-piece pack |
| 4 Kit of 4 Picking Box Air bins size 1 | 4 | Bar mount for Picking Box bins size 1/2 |
| · · · · · · · · · · · · · · · · · · · | 4 | Kit of 4 Picking Box Air bins size 1 |

| ART. | Wmm | Dmm | Hmm | uprights | RAL | |
|--------------|------|-----|------|----------|-----------|--|
| WORKLOOK3005 | 2970 | 373 | 1063 | 50 | 7035+7016 | |
| WORKLOOK3006 | 2970 | 373 | 1063 | 50 | 5012 | |

| маче ир с | n. |
|-----------|---|
| qty. | description |
| 1 | Kit with 3 dual-slotted uprights |
| 2 | Kit with 2 perforated panels/shelves with 1 box-stop edge |
| 2 | Wall unit with vasistas flip up opening without lock |
| 2 | Pair of brackets for fastening wall unit to dual-slotted uprights |
| 5 | Unipok tool hook - 30-piece pack |
| 2 | Bar mount for Picking Box bins size 1/2 |
| 2 | Kit of 4 Picking Box Air bins size 1 |





















COMPONENTS SHUTTERS








CABINET WITH SHUTTER

| ART. | W mm | Dmm | Hmm | RAL | |
|---------------|------|-----|-----|------|--|
| FBL8050C00008 | 943 | 220 | 912 | 7035 | |
| FBL8050C00004 | 943 | 220 | 912 | 5012 | |
| FBL8054C00008 | 1428 | 220 | 912 | 7035 | |
| FBL8054C00004 | 1428 | 220 | 912 | 5012 | |
| FBL8056C00008 | 1928 | 220 | 912 | 7035 | |
| FBL8056C00004 | 1928 | 220 | 912 | 5012 | |



PAIR OF BRACKETS FOR FIXING CABINET WITH SHUTTER ON UPRIGHTS

| ART. | Wmm | Dmm | Hmm | RAL | |
|---------------|-----|-----|-----|------|--|
| FBL8060000008 | 33 | 21 | 904 | 7035 | |
| FBL8060000004 | 33 | 21 | 904 | 5012 | |



1 To be used for fixing the cabinet with shutter on the double-slotted uprights



LED STRIP Without on/off button

| ART. | Wmm | ColourtemperatureK | Watt | Hz | Lumen | |
|-------------|------|--------------------|------|-------|-------|--|
| FBL99400213 | 873 | 4000 | 15 | 50/60 | 1500 | |
| FBL99450213 | 1173 | 4000 | 20 | 50/60 | 2000 | |

ROLLER SHUTTERS WITH UPRIGHTS AND WORKBENCH PANELS



| ART. | Wmm | Dmm | Hmm | uprights | RAL | |
|--------------|------|-----|------|----------|-----------|--|
| WORKLOOK1009 | 1015 | 710 | 1243 | 50 | 7035+7016 | |
| WORKLOOK1010 | 1015 | 710 | 1243 | 50 | 5012 | |

Made up of:

| qty. | description |
|------|--|
| 1 | Kit with 2 dual-slotted uprights for workbenches |
| 1 | Kit with 2 inclined supports with track |
| 1 | Lamp W=988 mm |
| 1 | Electric perforated panel |
| 1 | Pair of brackets for fixing cabinet with shutter on uprights |
| 1 | Cabinet with shutter |
| 4 | Unipok tool hook - 30-piece pack |



| ART. | Wmm | Dmm | Hmm | uprights | RAL | |
|--------------|------|-----|------|----------|-----------|--|
| WORKLOOK1515 | 1500 | 710 | 1243 | 50 | 7035+7016 | |
| WORKLOOK1516 | 1500 | 710 | 1243 | 50 | 5012 | |

Made up of:

| qty. | description |
|------|--|
| 1 | Kit with 2 dual-slotted uprights for workbenches |
| 1 | Kit with 2 inclined supports with track |
| 1 | Lamp W=988 mm |
| 1 | Electric perforated panel |
| 1 | Pair of brackets for fixing cabinet with shutter on uprights |
| 1 | Cabinet with shutter |
| 6 | Unipok tool hook - 30-piece pack |

| ART. | \M/ mm | Dmm | Цmm | uprights | RAL | |
|--------------|-----------|--------|----------|----------|-----------|--|
| ANI. | VV 111111 | וווווו | 11111111 | uprights | NAL | |
| WORKLOOK2009 | 2000 | 710 | 1243 | 50 | 7035+7016 | |
| WORKLOOK2010 | 2000 | 710 | 1243 | 50 | 5012 | |



| qty. | description |
|------|--|
| 1 | Kit with 3 dual-slotted uprights |
| 1 | Kit with 3 inclined supports with 2 tracks |
| 1 | Lamp W=1473 mm |
| 2 | Electric perforated panel |
| 2 | Pair of brackets for fixing cabinet with shutter on uprights |
| 2 | Cabinet with shutter |
| 8 | Unipok tool hook - 30-piece pack |

| ART. | Wmm | Dmm | Hmm | uprights | RAL | |
|--------------|------|-----|------|----------|-----------|--|
| WORKLOOK2011 | 2000 | 300 | 1064 | 50 | 7035+7016 | |
| WORKLOOK2012 | 2000 | 300 | 1064 | 50 | 5012 | |



| qty. | description |
|------|--|
| 1 | Kit with 3 dual-slotted uprights |
| 2 | Electric perforated panel |
| 1 | Pair of brackets for fixing cabinet with shutter on uprights |
| 1 | Cabinet with shutter |
| 8 | Unipok tool hook - 30-piece pack |










PERFORATED WALL PANELS




KIT WITH PANEL WALL-MOUNTING BRACKETS


| ART. | Finish | |
|-------------|------------|--|
| FVT02550000 | Galvanised | |




PERFORATED PANEL/SHELF

| | • | | | | |
|-------------|------|-----|-----|------|--|
| ART. | Wmm | Dmm | Hmm | RAL | |
| FBL76160008 | 953 | 40 | 304 | 7035 | |
| FBL76160004 | 953 | 40 | 304 | 5012 | |
| FBL76310008 | 1438 | 40 | 304 | 7035 | |
| FBL76310004 | 1438 | 40 | 304 | 5012 | |









TOOL HOLDER WALL

| ART. | Wmm | D mm | Hmm | RAL |
|--------------|------|------|-----|------|
| WORKLOOK1510 | 1438 | 151 | 608 | 7035 |
| WORKLOOK1509 | 1438 | 151 | 608 | 5012 |

| Ma | ide | up | of |
|----|-----|----|----|

| qty. | description |
|------|---------------------------------------|
| 2 | Perforated panel/shelf |
| 2 | Kit with panel wall-mounting brackets |
| 1 | Angled 2-space spray-can holder |
| 1 | Unipok tool hook - 30-piece pack |
| 10 | Hook with tip D=100 mm |

PERFORATED WALL PANELS

Perforated panels, see p. 166/167 Wall fixing of perforated panels, see p. 162 Unipok hooks, see p. 191 The Block hooks, see p. 195 Iron Team accessories, see p. 196





TOOL HOLDER WALL

| ART. | Wmm | Dmm | Hmm | RAL |
|--------------|------|-----|-----|------|
| WORKLOOK1512 | 1438 | 218 | 608 | 7035 |
| WORKLOOK1511 | 1438 | 218 | 608 | 5012 |

Made up of:

| qty. | description |
|------|---|
| 2 | Perforated panel/shelf |
| 2 | Kit with panel wall-mounting brackets |
| 1 | Roll holder kit with Ø 130 mm roll |
| 1 | Unipok tool hook - 30-piece pack |
| 10 | Hook with tip D=100 mm |
| 1 | Bar mount for Picking Box bins size 1/2 |
| 1 | Kit of 4 Picking Box Air bins size 1 |





TOOL HOLDER WALL

| ART. | Wmm | Dmm | Hmm | RAL |
|--------------|------|-----|-----|------|
| WORKLOOK1514 | 1438 | 275 | 608 | 7035 |
| WORKLOOK1513 | 1438 | 275 | 608 | 5012 |

| made up on. | |
|-------------|---|
| qty. | description |
| 2 | Perforated panel/shelf |
| 2 | Kit with panel wall-mounting brackets |
| 1 | Unipok tool hook - 30-piece pack |
| 10 | Hook with tip D=100 mm |
| 10 | Hook with tip D=150 mm |
| 1 | Bar mount for Picking Box bins size 1/2 |
| 1 | Kit of 3 Picking Box Air bins size 2 |







COMPONENTS UPRIGHTS





KIT WITH 2 DUAL-SLOTTED UPRIGHTS FOR WORKBENCHES

| ART. | Wmm | D mm | Hmm | KG | suitable for workbench W mm | RAL | |
|-------------|-----|------|-----|----|-----------------------------|------|--|
| FBL75301604 | 30 | 80 | 639 | 50 | 1000-1500 | 5012 | |
| FBL75301639 | 30 | 80 | 639 | 50 | 1000-1500 | 7016 | |
| FBL75351604 | 30 | 80 | 943 | 50 | 1000-1500 | 5012 | |
| FBL75351639 | 30 | 80 | 943 | 50 | 1000-1500 | 7016 | |



KIT WITH 3 DUAL-SLOTTED UPRIGHTS

| ART. | Wmm | Dmm | Hmm | KG | suitable for workbench W mm | RAL | |
|-------------|-----|-----|-----|----|-----------------------------|------|--|
| FBL75302104 | 30 | 80 | 639 | 50 | 2000-3000 | 5012 | |
| FBL75302139 | 30 | 80 | 639 | 50 | 2000-3000 | 7016 | |
| FBL75352104 | 30 | 80 | 943 | 50 | 2000-3000 | 5012 | |
| FBL75352139 | 30 | 80 | 943 | 50 | 2000-3000 | 7016 | |

COMPONENTS

INCLINED SUPPORTS WITH BASE TRACK





KIT WITH 2 INCLINED SUPPORTS WITH TRACK

| ART. | Wmm | D mm | Hmm | RAL | |
|-------------|------|------|-----|------|--|
| FBL98102039 | 1015 | 686 | 307 | 7016 | |
| FBL98102004 | 1015 | 686 | 307 | 5012 | |



KIT WITH 2 INCLINED SUPPORTS WITH TRACK

| ART. | Wmm | D mm | Hmm | RAL | |
|-------------|------|------|-----|------|--|
| FBL98152039 | 1500 | 686 | 307 | 7016 | |
| FBL98152004 | 1500 | 686 | 307 | 5012 | |



KIT WITH 3 INCLINED SUPPORTS WITH 2 TRACKS

| ART. | Wmm | D mm | Hmm | RAL | |
|-------------|------|------|-----|------|--|
| FBL98202039 | 2000 | 686 | 307 | 7016 | |
| FBL98202004 | 2000 | 686 | 307 | 5012 | |



KIT WITH 3 INCLINED SUPPORTS WITH 2 TRACKS

| ART. | Wmm | D mm | Hmm | RAL | |
|-------------|------|------|-----|------|--|
| FBL98302039 | 2970 | 686 | 307 | 7016 | |
| FBL98302004 | 2970 | 686 | 307 | 5012 | |



SUPPLEMENTARY TRACK WITH FITTINGS

| ART. | Wmm | Dmm | Hmm | material |
|-------------|------|-----|-----|-----------|
| FBL98101000 | 1015 | 60 | 67 | Aluminium |
| FBL98151000 | 1500 | 60 | 67 | Aluminium |



COMPRESSED AIR SET WITH FLOW BALANCING DEVICE AND FILTER

| F | 1 | ۲ | ı | ٠ | |
|---|---|---|---|---|--|
| | | | | | |

FBL97200300

Complete with:

- $1\, \emptyset\, 10\, mm\, flexible\, cable$
- $1\,T$ connector (1/4") with cap (B)
- 2 slide fittings
- 1 carabiner
- $1\,\mbox{balancing}$ device with $1600\,\mbox{mm-long}$ steel cable with a $1/2\,\mbox{kg}$ load-bearing capacity
- 1 universal fitting (1/4") for tools (A) 1 spiralled pipe with 5,5 mm internal diameter
- $1\,pipe\,with\,5,5\,mm\,internal\,diameter\,for\,purging\,the\,filter$
- 1 regulator filter unit with pressure gauge which can be used with a maximum pressure of 10 bar, its flow rate is roughly 9 litres per second (on point A) and 11 litres per second (on point B) with a 6.3 bar operating pressure (the flow rate can vary in relation to the technical features of the compressed air line to which the Fami plant is connected)
- 1/4" couplings










LOAD CAPACITY

RAL 5012

RAL7016

COMPONENTS

PERFORATED PANELS/SHELF 953 mm



PERFORATED PANEL/SHELF

| ART. | Wmm | Dmm | Hmm | Hole dim. mm | Pitch mm | RAL |
|-------------|-----|-----|-----|--------------|-------------|------|
| FBL76160008 | 953 | 40 | 304 | 10x10 | 38 | 7035 |
| FBL76160004 | 953 | 40 | 304 | 10×10 | 38 | 5012 |



KIT WITH 2 PERFORATED PANELS/SHELVES WITH 1 BOX-STOP EDGE

| ART. | Wmm | Dmm | Hmm | Hole dim. mm | Pitch mm | RAL |
|-------------|-----|-----|-----|--------------|-------------|------|
| FBL76160208 | 953 | 40 | 304 | 10×10 | 38 | 7035 |
| FBL76160204 | 953 | 40 | 304 | 10x10 | 38 | 5012 |



KIT WITH 3 PERFORATED PANELS/SHELVES WITH 2 BOX-STOP EDGES

| ART. | Wmm | D mm | Hmm | Hole dim. mm | Pitch mm | RAL |
|-------------|-----|------|-----|--------------|-------------|------|
| FBL76160308 | 953 | 40 | 304 | 10×10 | 38 | 7035 |
| FBL76160304 | 953 | 40 | 304 | 10x10 | 38 | 5012 |



PERFORATED PANEL/SHELF WITH BOX-STOP EDGE

| ART. | Wmm | D mm | Hmm | Hole dim. mm | Pitch mm | RAL |
|-------------|-----|------|-----|--------------|-------------|------|
| FBL76170108 | 953 | 40 | 456 | 10×10 | 38 | 7035 |
| FBL76170104 | 953 | 40 | 456 | 10×10 | 38 | 5012 |



ELECTRIC PERFORATED PANEL


| ART. | Wmm | D mm | Hmm | Hole dim. mm | Pitch mm | RAL |
|-------------|-----|------|-----|--------------|-------------|------|
| FBL76180008 | 953 | 31 | 152 | 10×10 | 38 | 7035 |
| FBL76180004 | 953 | 31 | 152 | 10×10 | 38 | 5012 |



- 1. USB data port
- $2. \quad \mathsf{Differential} \, \mathsf{magnetic}\text{-}\mathsf{thermal} \, \mathsf{circuit} \, \mathsf{breaker}$
- 3. 4-socket power strip
- 4. 2-socket power strip
- 5. USB charger


COMPONENTS

PERFORATED PANELS/SHELF 1438 mm



PERFORATED PANEL/SHELF

| ART. | Wmm | D mm | Hmm | Hole dim. mm | Pitch mm | RAL |
|-------------|------|------|-----|--------------|-------------|------|
| FBL76310008 | 1438 | 40 | 304 | 10x10 | 38 | 7035 |
| FBL76310004 | 1438 | 40 | 304 | 10×10 | 38 | 5012 |



KIT WITH 2 PERFORATED PANELS/SHELVES WITH 1 BOX-STOP EDGE

| ART. | Wmm | D mm | Hmm | Hole dim. mm | Pitch mm | RAL |
|-------------|------|------|-----|--------------|-------------|------|
| FBL76310208 | 1438 | 40 | 304 | 10×10 | 38 | 7035 |
| FBL76310204 | 1438 | 40 | 304 | 10×10 | 38 | 5012 |



KIT WITH 3 PERFORATED PANELS/SHELVES WITH 2 BOX-STOP EDGES

| ART. | Wmm | D mm | Hmm | Hole dim. mm | Pitch mm | RAL |
|-------------|------|------|-----|--------------|-------------|------|
| FBL76310308 | 1438 | 40 | 304 | 10x10 | 38 | 7035 |
| FBL76310304 | 1438 | 40 | 304 | 10×10 | 38 | 5012 |



PERFORATED PANEL/SHELF WITH BOX-STOP EDGE

| ART. | Wmm | D mm | Hmm | Hole dim. mm | Pitch mm | RAL |
|-------------|------|------|-----|--------------|-------------|------|
| FBL76320108 | 1438 | 40 | 456 | 10×10 | 38 | 7035 |
| FBL76320104 | 1438 | 40 | 456 | 10×10 | 38 | 5012 |



ELECTRIC PERFORATED PANEL


| ART. | Wmm | D mm | Hmm | Hole dim. mm | Pitch mm | RAL |
|-------------|------|------|-----|--------------|-------------|------|
| FBL76330008 | 1438 | 31 | 152 | 10×10 | 38 | 7035 |
| FBL76330004 | 1438 | 31 | 152 | 10×10 | 38 | 5012 |



- USB data port
 Differential magnetic-thermal circuit breaker
- 3. 4-socket power strip
- 4. 2-socket power strip
- 5. USB charger


COMPONENTS

PERFORATED PANELS/SHELF 1938 mm



PERFORATED PANEL/SHELF

| ART. | Wmm | D mm | Hmm | Hole dim.mm | Pitch mm | RAL | |
|-------------|------|------|-----|----------------|-------------|------|--|
| FBL76360008 | 1938 | 40 | 304 | 10×10 | 38 | 7035 | |
| FBL76360004 | 1938 | 40 | 304 | 10×10 | 38 | 5012 | |



PERFORATED PANEL/SHELF


| ART. | Wmm | Dmm | Hmm | Hole dim.mm | Pitch mm | RAL | |
|-------------|------|-----|-----|----------------|-------------|------|--|
| FBL76370008 | 1938 | 40 | 456 | 10×10 | 38 | 7035 | |
| FBL76370004 | 1938 | 40 | 456 | 10×10 | 38 | 5012 | |



PAIR OF SUPPORTS FOR PERFORATED PANEL/SHELF

| ART. | Wmm | Dmm | Hmm | RAL | |
|-------------|-----|-----|-----|------|--|
| FVT01010039 | 12 | 237 | 99 | 7016 | |







| ART. | RAL | |
|--------------|------|--|
| WORKLOOK9001 | 7035 | |



| qty. | description |
|------|---|
| 2 | Perforated panel/shelf with box-stop edge |
| 3 | Perforated panel/shelf |
| 5 | Kit with panel wall-mounting brackets |
| 1 | Reversible tray shelf |
| 1 | Reversible sanitiser-bottle holder |
| 1 | Roll holder kit with roll \emptyset =240 mm |
| 1 | Glove dispenser |
| 1 | A4 document-holder pocket |
| 2 | Large reversible shelf |

| qty. | description |
|------|---|
| 1 | Bin with 30 l capacity |
| 5 | Unipok tool hook - 30-piece pack |
| 1 | Schuko 2-socket power strip |
| 1 | Schuko 4-socket power strip |
| 1 | Differential magnetic-thermal circuit breaker |
| 1 | Wieland Schuko/FR connection cable |
| 1 | Support for 2-socket power strip |
| 1 | Support for 4-socket power strip |
| 1 | Support for residual current device |
| 2 | Double lamp |





